

**Patient Information - Please send demographic sheet and a copy of the patient's insurance cards**

Patient Name:	Date of Birth:	Male	Female
Address:	City:	State:	Zip:
Mobile Phone:	Home Phone:	Language:	
Allergies <b>(Required)</b> :	NKDA	Height:	Weight:
Medication Delivery Options:	Patient's Home	Hospital/Clinic Office	Bedside
<b>Delivery Address:</b>			

**Prescriber Information**

Practice Name:	Office Contact:
Prescriber:	NPI:
Practice Address:	City:
Phone Number:	Fax Number:

**Clinical Information - Please send all available chart notes including lab results**

ICD-10:	CrCl (ml/min):
---------	----------------

Therapies tried and failed with length of treatments:

**\*All vials requiring reconstitution will only be dispensed to prescriber's office or infusion center for reconstitution and administration**

Medication	Strength	Dose/Frequency
Humira	<b>SELECT PRODUCT(s):</b> <b>Loading dose</b> 80 mg/0.8 mL (3 Pen Crohn's Disease and Ulcerative Colitis Starter Kit) <b>Maintenance dose:</b> 40 mg/0.4 mL Pen (2 Pen Carton) 40 mg/0.4 mL Syringe (2 PFS Carton)	<b>Initial dose:</b> Inject 160 mg (given on day 1 or split and given over 2 consecutive days), then 80 mg SC 2 weeks later on day 15 <b>Select Maintenance dose:</b> Inject 40 mg SC every week beginning on day 29
Stelara	<b>SELECT PRODUCT(s):</b> 130 mg/26 mL vial for infusion* 45 mg/0.5 mL PFS 90 mg/mL PFS	<b>Initial adult dose:</b> Patients weighing up to 55 kg: Infuse 260 mg IV once Patients weighing 55 kg - 85 kg: Infuse 390 mg IV once Patients weighing over 85 kg: Infuse 520 mg IV once <b>Maintenance dose:</b> Inject 90 mg SC every 8 weeks
Xeljanz	<b>SELECT PRODUCT(s):</b> 5 mg tablets 10 mg tablets XR 11 mg tablets XR 22 mg tablets	<b>Xeljanz Tablets:</b> <b>Initial dose:</b> Take 10 mg by mouth once daily for at least 8 weeks <b>Maintenance dose:</b> Take 5 mg by mouth twice daily <b>Loss of Response:</b> Take 10 mg by mouth twice daily for a short duration <b>Xeljanz XR Tablets:</b> <b>Initial dose:</b> Take 22 mg by mouth once daily for at least 8 weeks <b>Maintenance dose:</b> Take 11 mg by mouth twice daily

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing below, I hereby authorize LeMed Specialty Pharmacy and/or its affiliate pharmacies to facilitate benefits investigations, complete and submit prior authorization (PA) requests, appeals, step edits and other processes necessary to obtain coverage for prescribed medications, to sign any necessary forms on my behalf of my patients, and to attach its Enrollment Form to the PA request as my signature.

**IMPORTANT NOTICE:** This form is intended to be delivered only to the named addressee. It contains material that is confidential, privileged, proprietary or exempt from disclosure under applicable law. If you are not the named addressee, you should not disseminate, distribute, or copy this fax. Please notify the sender immediately if you have received this document in error and then destroy this document immediately.

**\*Fax does not constitute a valid prescription as per NYS Board of Pharmacy. Please electronically prescribe order.**

**Prescriber Signature:** \_\_\_\_\_

**Date:** \_\_\_\_\_